



NOVEMBER 16, 2023

Child and Adolescent Immunization Schedule by Age (Compliant)

PURPOSE

Compliant version of the Child and Adolescent Immunization Schedule by Age

Birth to 15 Months

< < [Back to Child & Adolescent Immunization Schedule](#)

- ¶ = Range of recommended ages for all children
- † = Range of recommended ages for catch-up immunization
- § = Range of recommended ages for certain high-risk groups
- # = Recommended vaccination can begin in this age group
- ± = Recommended vaccination based on shared clinical decision-making
- = No recommendation/Not applicable

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos
Respiratory syncytial virus ⓘ (RSV-mAb [Nirsevimab])	1 dose depending on maternal RSV vaccination status. See notes ¶				¶	¶	§	1 dose (8 through 19 months). See notes §
Hepatitis B ⓘ (HepB)	1 st dose¶	←2 nd dose→¶		†	←3 rd dose→¶			
Rotavirus (RV) ⓘ RV1 (2-dose series); RV5 (3-dose series)	•		1 st dose¶	2 nd dose¶	See notes ¶	•		
Diphtheria, tetanus, & acellular pertussis ⓘ (DTaP: <7 yrs)	•		1 st dose¶	2 nd dose¶	3 rd dose¶		†	←4 th dose→¶
Haemophilus influenzae type b ⓘ (Hib)	•		1 st dose¶	2 nd dose¶	See notes ¶	†	←3 rd or 4 th dose, See notes →¶	
Pneumococcal conjugate ⓘ (PCV15, PCV20)	•		1 st dose¶	2 nd dose¶	3 rd dose¶	†	←4 th dose→¶	
Inactivated poliovirus ⓘ (IPV: <18 yrs)	•		1 st dose¶	2 nd dose¶	←3 rd dose→¶			
COVID-19 ⓘ (1vCOV-mRNA, 1vCOV-aPS)	•				1 or more doses of updated (2023–2024 Formula) vaccine (See notes)¶			
Influenza (IIV4) ⓘ	•				Annual vaccination 1 or 2 doses¶			
OR								
Influenza (LAIV4) ⓘ	•							
Measles, mumps, rubella ⓘ (MMR)	•				See notes §	←1 st dose→¶		
Varicella ⓘ (VAR)	•				←1 st dose→¶			
Hepatitis A ⓘ (HepA)	•				See notes §	←2-dose series. See notes [↔]→¶		
Tetanus, diphtheria, & acellular pertussis ⓘ (Tdap: ≥7 yrs)	•				•			
Human papillomavirus ⓘ (HPV)	•				•			

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos
Meningococcal ⓘ (MenACWY-CRM ≥2 mos, MenACWY-TT ≥2years)	•							See notes §
Meningococcal B ⓘ (MenB-4C, MenB-FHbp)				•				
Respiratory syncytial virus vaccine ⓘ (RSV [Abrysvo])				•				
Dengue ⓘ (DEN4CYD: 9-16 yrs)				•				
Mpox ⓘ				•				

18 Months to 18 Years

Vaccine and other immunizing agents	18 mos	19-23 mos	2-3 yrs	4-6 yrs	7-10 yrs	11-12 yrs	13-15 yrs	16 yrs	17-18 yrs
Respiratory syncytial virus ⓘ (RSV-mAb [Nirsevimab])	1 dose (8 through 19 months). See notes §	§ • • •				•			
Hepatitis B ⓘ (HepB)	← 3 rd dose →¶					†			
Rotavirus ⓘ (RV) RV1 (2-dose series); RV5 (3-dose series)				•					
Diphtheria, tetanus, & acellular pertussis ⓘ (DTaP: <7 yrs)	← 4 th dose →¶	†		5 th dose¶			•		
Haemophilus influenzae type b ⓘ (Hib)	†			† §			§		
Pneumococcal conjugate ⓘ (PCV15, PCV20)	†			† §			§		
Inactivated poliovirus ⓘ (IPV: <18 yrs)	← 3 rd dose →¶	†		4 th dose¶		†		† †	See notes •
COVID-19 ⓘ (1vCOV-mRNA, 1vCOV-aPS)	1 or more doses of updated (2023–2024 Formula) vaccine (See notes)¶								
Influenza (IIV4) ⓘ	Annual vaccination 1 or 2 doses¶					¶ ¶ ¶ ¶	Annual vaccination 1 dose only¶		
OR Influenza (LAIV4) ⓘ	•			Annual vaccination 1 or 2 doses¶		OR ¶ ¶	Annual vaccination 1 dose only¶		
Measles, mumps, rubella ⓘ (MMR)	†			2 nd dose¶			†		
Varicella ⓘ (VAR)	†			2 nd dose¶			†		
Hepatitis A ⓘ (HepA)	← 2-dose series. See notes →¶						†		
Tetanus, diphtheria, & acellular pertussis ⓘ (Tdap: ≥7 yrs)	•				†	1 dose¶	§	†	
Human papillomavirus ⓘ (HPV)	•					§ #	See notes ¶	†	
Meningococcal ⓘ (MenACWY-CRM ≥2 mos, MenACWY-TT ≥2years)		See notes §				1 st dose¶	†	2 nd dose¶	†
Meningococcal B ⓘ (MenB-4C, MenB-FHbp)	•			• • • • §			See notes §		±
Respiratory syncytial virus vaccine ⓘ (RSV [Abrysvo])		•					Seasonal administration during pregnancy. See notes §		

Vaccine and other immunizing agents	18 mos	19-23 mos	2-3 yrs	4-6 yrs	7-10 yrs			11-12 yrs	13-15 yrs	16 yrs	17-18 yrs
Dengue ⓘ (DEN4CYD: 9-16 yrs)	•				•	•	¶	Seropositive in endemic dengue areas (See notes)¶			•
Morax ⓘ	•										§

SOURCES

CONTENT SOURCE:

National Center for Immunization and Respiratory Diseases